



21 | 22

**BOOTDOC**  
TUNE YOUR FEET

**HOTRONIC®**  
HEATING SYSTEM



# BOOTDOC

## YOUR SPECIALIST FOR CUSTOMIZED ATHLETIC FOOTWEAR

BOOTDOC designs unique solutions for active feet that guarantee excellent comfort and performance when taking part in sport. What sets BOOTDOC apart is the most innovative analysis methods and products that are designed to meet the individual needs of each customer – specifically customers who seek out the latest advancements in development and technology.

BOOTDOC strives to be a part of this journey by supporting their feet and developing the tools for them to improve their performance.

**HOTRONIC<sup>®</sup>**  
HEATING SYSTEM

HOTRONIC Heat Socks and boot and glove dryers complement the product range for customers.

[boot-doc.com](http://boot-doc.com)

ASC Concept	4	INTRODUCTION
3-Arch Concept	5	
Product Overview Insoles	6	

3D Custom Insoles	8	3D CUSTOM
Customizing 3D Insoles	11	
3D Custom Statements	12	

Fusion Preshaped Insoles	14	FUSION
--------------------------	----	--------

Step-In Insoles	18	STEP-IN
-----------------	----	---------

Winter	24	FOAM LINERS
4 Steps to success	27	

Product Overview Socks	28	POWER FIT SOCKS
Performance, Comfort, Race	30	
Active	34	

XLP P Series	37	HOTRONIC
Heat Socks Sets	38	
Accessories	41	
Bags and Heated Bags	42	
Boot, Glove and Helmet Dryer	44	

Product Overview	47	ANALYSIS & FITTING
3D Scanner Vandra	49	
Analysis Systems	52	
Autofit BT	54	
Fitting Systems	58	
Heating Systems	59	

Fitting Materials	61	FITTING TOOLS
Fitting Tools	62	
Ultracam Tools	64	
Fitting Tools for Insoles	65	
BOOTDOC Academy	67	

Displays & Merchandising	69	MARKETING
Selling Tools	70	
Promotion Tools	71	
Communication Tools	72	
BD Expert Day / Clothing	73	
Contacts	75	







# THREE EASY STEPS TO THE PERFECT FIT.

Here's how you can find the perfect fit with the ASC concept for every customer quickly and easily:



## 1. ANALYZE



There are five different analysis devices to choose from that determine the foot type, length, width and other data concerning customer's feet. From the three-dimensional representation of both feet using the 3D Scanner VANDRA to the quick and easy-to-use Feet View, we offer the following devices for foot type analysis: 3D Scanner VANDRA, Podoscope, Feet View, FMD (Foot Measuring Device), Measuring Gauge Brannock (length and width measurement).



## 2. SELECT



Once the foot type has been determined, it is easy to find the appropriate insole, suitable Power Fit socks, and foam liners. Choose the product that is going to meet the customer's requirements for their sport or activity, whether it's skiing, snowboarding, hiking, running or working, and so on.



## 3. CUSTOMIZE



Regardless of whether they're Step-In, Fusion or 3D Custom, all insoles can be custom molded and fitted precisely to the foot of a customer through heating.

**BOOTDOC offers a variety of tools for customizing insoles:**

Heating: 3D Heater, Speed Heat Digital 3L, Heat Gun

Fitting: AUTOFIT BT, VAC IV Electric, Pillows 13, CMT-System



# 3-ARCH CONCEPT

## THE FAST SOLUTION.

You can cover all activities choosing from four models and three different constructions, regardless of various foot types. Follow the simple foot analysis steps and select an insole from the four models in LOW, MID or HIGH Arch. Integrate the insole into the footwear by trimming and you're finished! Individual fitting can be offered as an extra service that ensures customers get a fit that is 100 % perfect. The wide range of insoles guarantees the right insole for every foot type.



### LOW ARCH



The arch is incapable of cushioning, thus reducing the spring in the customers step or running motion. Displacement of the bones involved (e.g., buckling of the ankle bone, heel bone) can cause strain on tendons and ligaments. This leads to static imbalance and pain. The LOW Arch insole helps to prevent overpronation.



### MID ARCH



The layout of the bones, tendons and ligaments reflects the theoretical norm. The pressure below the foot is distributed over the 3 main support points: heel (20 %), big toe base joint (17 %), small toe base joint (13 %). A MID Arch insole offers optimum pressure distribution for this type of foot, while stabilizing and cushioning.




### HIGH ARCH




The long-arch is too high, thus reducing the contact surface. High medial and lateral arches are typically caused by shortening of the tendon structure or high muscle tension. These changes of the foot shape cause friction and pressure points when wearing shoes. A stressed tendon structure is often found throughout the body in this case. A HIGH Arch insole ensures comfortable, even pressure distribution for this foot type.

Following models are available in the 3-Arch Concept:



**COMFORT** see page 19



**STABILITY** see page 19



**EXPLORE** see page 19



**DYNAMIC** see page 20



## 3D CUSTOM

**3D RACE**

01-0400-183-x



9

**3D WIDE**

01-0400-185-x



9

**3D POWER**

01-0400-187-x



10

**3D CLASSIC**

01-0400-189-x



10



## FUSION PRESHAPED

**ALPINE**

01-0400-176-x



15

**SENSATION**

01-0400-177-x



15

**MERINO**

01-0400-180-x



15

**POWER**


01-0400-178-x



15

**SUPREME**

01-0400-179-x



16

**ADVENTURE**

01-0400-160-x



16

**SPEED**

01-0400-161-x



16

**PERFORMANCE**

01-0400-159-x



17



## STEP-IN

**COMFORT**

01-0400-16x-x



19

**STABILITY**

01-0400-16x-x



19

**EXPLORE**

01-0400-15x-x



19

**DYNAMIC**

01-0400-15x-x



20

**CORK**


01-0400-190-x



20

**BALANCE**

01-0400-153-x



20

**MOTION**

01-0400-158-x

NEW




20

**THERMO**

01-0400-193-x

NEW



22

**JUNIOR**

01-0400-175-xxx



22

**GEL COMFORT**

01-0400-139 | 01-0400-140



22

**FUNCTION**

01-0400-169-x



23

**ALLROUND**

01-0400-170-x



23

**RENTAFIT**

01-0400-171-x



23

**RENTASOLE**





01-0400-172-x



23



\* Dynamic: Suitable for football, tennis, baseball, soccer, and other dynamic activities.

3ARCH										VOLUME										CONSTRUCTION										TOP COVER										INTRODUCTION
										LOW										3D Custom Vacutec										PE Top-Grip 1.6 mm										3D CUSTOM
										MID										3D Custom Vacutec										PE Top 2 mm										
										LOW										3D Custom Vacutec										PE Top-Grip perforated 2 mm										
										LOW										3D Custom Vacutec										PE Top-Grip perforated 1.6 mm										
										MID										Fusion Preshape Vacutec										Microfiber AOF										FUSION
										LOW										Fusion Preshape Thermoflux										Antibacterial Mesh Top										
										MID / HIGH										Fusion Preshape Thermoflux										Merino Top										
										LOW										Fusion Preshape Thermoflux										PE Top-Grip perforated 2 mm										
										LOW										Fusion Preshape Thermoflux										Microfiber Top										STEP-IN
										MID										Fusion Preshape Thermoflux										Leather perforated 1.5 mm										
										LOW										Fusion Preshape Thermoflux										PE-Top Grip perforated 1.2 mm										
										MID										Fusion Preshape Thermoflux										Microfiber-Jersey perforated AOF										
										MID										Step-In Flex-Full-Shell / EVA										Microfiber AOF										POWER FIT SOCKS
										MID										Step-In Flex-Full-Shell / EVA										Grip-Mesh AOF										
										MID										Step-In Cork Flex-Full-Shell / EVA-Cork										Bamboo-Mesh										
										LOW										Step-In Dynamic Breath										Microfiber-Jersey AOF										
										LOW										Step-In Dynamic Sport										Cork 1 mm										HOTRONIC
										LOW										Step-In Cork Dynamic										Microfiber perforated AOF										
										LOW										Step-In Dynamic Sport										EVA Top-Grip 2 mm										
										MID										Step-In Semi-Shell										Merino Top										
										MID										Step-In Sport										Mesh AOF										FITTING MATERIAL
										MID										GEL - Perforation										Jersey										
										LOW										Step-In Semi-Shell										Mesh AOF										
										LOW										Step-In Dynamic Sport										Mesh AOF										
										LOW										Step-In Dynamic Sport										Mesh AOF										MARKETING
										LOW										Double Layer										Fleece										

INTRODUCTION

3D CUSTOM

FUSION

STEP-IN

FOAM  
LINERS

POWER FIT  
SOCKS

HOTRONIC

ANALYSIS &  
FITTING

FITTING  
MATERIAL

MARKETING





3D CUSTOM INSOLES

# 3D CUSTOM INSOLES

If you need a personalized solution, look no further than the BOOTDOC 3D CUSTOM insole range. In this segment, there are no compromises. The fitting process with 3D CUSTOM insoles from BOOTDOC is considered premium technology, and rightly so. It's not just about finding the perfect fit; it's also about passion, technology, know-how and most of all – a personal, thoughtful experience.



BOOTDOC IS OFFICIAL  
INSOLE SUPPLIER OF  
THE AUSTRIAN SKI TEAM.





## 3D RACE (5 PACK)

01-0400-183-x | Size: XS - XXL

**The premium model for maximum performance.**

- Perfect support and maximum transmission of energy thanks to a perforated PE Top-Grip surface (1.6 mm)
- Excellent precision thanks to the layer being extra thin
- External stabilizers

**Insole can also be reordered in pairs in sizes XS and XXL.**




## 3D WIDE (5 PACK)

01-0400-185-x | Size: XS - XXL

**The comfort model for extra wide feet and ski boot lasts.**

- Maximum comfort thanks to a 2.0 mm PE cushioning layer
- Maximum stability thanks to an integrated mid and rear foot stabilizer (1.0 mm)
- For extra wide feet and lasts
- Slide zone in the arch area, which makes the boot easier to put on

**Insole can also be reordered in pairs in sizes XS and XXL.**



### ACCESSORIES

#### HEEL PERFORMANCE

01-2200-040 | Size: uni


- Stabilizes 3D CUSTOM insoles in the mid and rear foot area



#### HEEL COMFORT

01-2200-041 | Size: uni

- Stabilizes 3D CUSTOM insoles in the mid and rear foot area





## 3D POWER (5 PACK)

01-0400-187-x | Size: XS - XXL

**For ambitious customers who are looking for maximum stability.**

- Perfect support thanks to a perforated PE Top-Grip surface (2.0 mm)
- Year round performance thanks to a Flex-Cambrelle base layer
- 1.0 mm mid and rear foot stabilizer offer maximum power, flexible in forefoot
- Excellent insole for low volume, performance fit

**Insole can also be reordered in pairs in sizes XS and XXL.**



## 3D CLASSIC (5 PACK)

01-0400-189-x | Size: XS - XXL

**The basic all-purpose model for wintersports.**

- Optimal support thanks to a perforated PE Top (1.6 mm)
- Maximum stability thanks to an integrated mid and rear foot stabilizer (1.0 mm)
- Slide-in zone in the arch area, which makes the boot easier to put on

**Insole can also be reordered in pairs in sizes XS and XXL.**



### ACCESSORIES

#### HEEL CUP SOFT

01-2200-031-x | Size: XS - S

01-2200-032-x | Size: M - L

01-2200-034-x | Size: XL - XXL

- Stabilizer for insoles
- Self-adhesive tape included



#### HEEL CUP STIFF

01-2200-035-x | Size: XS - S

01-2200-036-x | Size: M - L

01-2200-037-x | Size: XL - XXL

- Stabilizer for insoles
- Self-adhesive tape included





# 3D INSOLE FITTING

1

Material is pushed back to the rear part of the pillows to form a plateau. Next, air is pulled out to create a vacuum.



2

The customer should sit in a 90-90-90 position with the legs hip-width apart and put the feet on the vacuum pillows. The VAC IV offers the possibility to adjust the width of the molding pillows! Then, enough air to enable one of the feet to be copied needs to be let into the cushion.



**TIP:** The customer should apply no pressure to their foot at all, so that it can be positioned and copied correctly.




3

The heel should be pressed by the technician into the vacuum pillow while in a neutral position, and the area from the midfoot to the toes should then be carefully embedded in the pillow. Pull out more air to harden the cast.

4

Smooth out the pillow in front of and around the toes, so that an insole can be placed in the best possible position in the forefoot and toe area.




5

Heat the 3D Heater to the desired temperature, insert the insoles, and activate the timer. Avoid heating the insole too much and for too long as this will have a negative effect on the materials and the cooling time!

6

Position the heated insoles in the vacuum pillow starting from the heel and working toward the toes. Be sure to align the insole properly.



7

Ask the customer to stand on the insoles and put all their body weight on them for five minutes. Ensure the customer is standing with the feet hip-width apart when doing this.

**ATTENTION:** Allow the insoles to cool down for a further five minutes so that they harden completely. Once the 3D insoles have cooled completely, you can remove them from the 3D VAC and finish them (by sanding, cutting and/or milling them).





3D CUSTOM INSOLES

# 3D CUSTOM INSOLES


## HERE'S WHAT OUR CUSTOMERS HAVE TO SAY.

Layer-by-layer, create your own 3D design to suit your exact needs, and personalize it with your own logo! Insole technology made-to-measure!



**Brent Amsbury,**  
Certified Pedorthist, owner Park City Ski Boot:

"Professional ski boot fitters know that the insole is the deciding factor in the perfect fit, and that the best results not only depend on knowledge and experience, but also on the quality of the selected materials. It's really satisfying to work with materials that provide excellent foot mapping. BOOTDOC insole blanks have been created according to my own specifications, which means that I can adhere to and control important criteria such as detailed foot mapping and deep contours. This provides the customer with the best possible support and comfort."



**Marcel Hagleitner,**  
Sportshop Hagleitner, Saalbach:

"The bespoke shape of the insole is the most important thing for me. There's absolutely no question that the insole has to be a perfect fit in order to provide the best possible support and comfort. We are so impressed with the quality of BOOTDOC insoles that we have put our own company logo on them, which shows just how high the quality of the product is and how important proper boot fitting is to us."



# BUILD YOUR OWN 3D CUSTOM INSOLE.

## 1 TOP LAYER 4 CHOICES OF MATERIAL TO BALANCE GRIP AND CUSHION

### FOAM

The classic, economical choice. 2 mm or 3 mm of cushioning foam that also increases top surface grip.

### JERSEY FABRIC

Polyester tight weave fabric that provides an economical solution for reducing surface friction and reducing blisters. This material can be shaped and styled in a number of colors and graphic patterns.

### MICROFIBRE

Increases insulation and foot comfort through efficient moisture wicking.  
Reduces surface grip.

### FUNCTIONAL-MESH

The premium top cover. Silver threads reduce odor, reflect heat back to the foot, and provide unique easy to enter surface that looks great.

### MERINO

Be it spring, summer, autumn, or winter, the extremely fine fibers of Merino wool ensure effective temperature equalization and optimum foot climate.

## 2 MIDDLE SUPPORT LAYER 2.0 OR 2.5 MM HEAT MOLDABLE RESIN

- 2.0 mm for low volume applications such as racing or high performance freeride.
- 2.5 mm for general use and medium volume fitting.

## 3 BOTTOM SUPPORT AND REINFORCEMENT

### PCL ARCH SUPPORT

This thermally moldable 2 mm performance plastic serves as a reinforcement layer for optimal support in arch and heel areas.

### REFOSTAB

Heat moldable material in a selection of rigidities for the targeted control of the support and stabilization function in the necessary areas. Can be applied internally or externally.

## Interested?

Please get in touch with your BOOTDOC contact or send an email to [office@boot-doc.com](mailto:office@boot-doc.com).

### APPLICATION EXAMPLE








FUSION INSOLES

# FUSION PRESHAPED INSOLES

The BOOTDOC Fusion Preshaped insoles are based on 3D CUSTOM Technology, but have already been preshaped for quick and convenient processing. Custom molding for the customer at the POS provides greater comfort, stability, and activity-specific support. Due to their construction, these insoles are designed to meet an extremely wide range of requirements and impress down to the very last detail.



OFFICIAL SUPPLIER  
OF THE GERMAN SKI  
NATIONAL TEAMS.





## ALPINE

01-0400-176-x | Size: XS – XXL

**The latest Fusion development with a 3D base construction for performance athletes.**

- Comfort entry thanks to a Microfiber Top with anti-odor function
- Perfect pressure distribution and cushioning
- Maximum support thanks to integrated stabilizers



## SENSATION

01-0400-177-x | Size: S – XXL

**A Fusion insole with a 3D base construction that includes an antibacterial Microfiber Top for easy entry.**

- Comfort entry thanks to a antibacterial Mesh Top
- Excellent comfort and extra light materials
- Dynamic in the forefoot area



## MERINO

01-0400-180-x | Size: S – XXL

**The MERINO is the ideal insole for use all year round. Be it spring, summer, autumn, or winter, the extremely fine fibers of the Merino wool ensure effective temperature equalization and thus an optimum foot climate.**

- Tried-and-tested, durable POWER base construction
- Merino top for warm feet and optimum foot climate



## POWER

01-0400-178-x | Size: XS – XXL

**A best-seller developed specifically designed for foam injection and thermally moldable liners.**

- Perfect support thanks to a perforated PE Top-Grip surface
- Maximum stability and support
- Optimum transmission of energy thanks to an extra thin design
- Slide zone in the arch area, which makes footwear easier to put on





## SUPREME

01-0400-179-x | Size: S - XXL

**Fusion insole with a 3D base construction that includes a Microfiber Top.**

- Comfort entry thanks to a Microfiber Top
- Excellent comfort and extra light materials
- Dynamic in the forefoot area



## ADVENTURE

01-0400-160-x | Size: XS - XXL

**The first Step-In insole for outdoor sports with a 3D base construction and a surface that is 100 % real leather.**

- Perforated surface made of 100 % genuine leather for a perfect foot environment
- Maximum cushioning, thanks to PORON® as well as outstanding stability
- Perfect grip for both uphill and downhill sport



## SPEED

01-0400-161-x | Size: S - XXL

**Developed for all activities requiring a stable, thin insole for optimum transmission of energy. Thanks to its thin design, this insole can be worn in many different types of shoe.**

- Perfect support thanks to a perforated PE Top-Grip surface
- Extremely thin and lightweight with maximum stability and high transmission of energy







## PERFORMANCE

01-0400-159-x | Size: XS – XXL

**The first Fusion insole for running with a 3D base construction featuring a special rebound effect.**

- Lightweight design with improved stability
- Boasts a perforated surface with a Microfiber-Jersey Top and a built-in anti-odor function
- Ideal guide properties and maximum stability
- Offers the perfect combination of cushioning and rebound thanks to PORON® Vive®



### ACCESSORIES

## NEOPREN COVER

01-2100-060-x | Size: S, M, L

**A neoprene protective cover for ski boot and wintersports footwear.**

- The perfect insulator featuring durable neoprene
- Fits the shape of the foot perfectly thanks to its stretch material
- Additional volume reduction function



DISPENSER (5S, 5M, 5L): 01-2100-062

## GEL PADS

01-2100-017 | Size: uni

- "First aid" for bruising caused by the ski boot tongue
- Reduces friction and pressure in the shin area
- Multiple use
- Shape can be individually cut to size



DISPENSER (20 pairs) 01-2100-058



STEP-IN INSOLES

# STEP-IN INSOLES

BOOTDOC Step-In insoles make for the day perfect – be it playing sports, in the workplace, or enjoying some leisure time. We offer the right model – anatomically preshaped according to the 3-Arch concept or in an anatomically shaped universal fit – regardless of whether the customer is looking for comfort or a sporting challenge. The Step-In design offers something for everyone, as well as quick and easy custom molding of the individual insole.



BOOTDOC IS OFFICIAL  
INSOLE SUPPLIER OF  
THE AUSTRIAN SKI TEAM.



Photo from the year 2019



## COMFORT

01-0400-16x-x | Size: MP 23.0 – 31.0

**The top 3-Arch Concept model with full-shell technology and dampening element.**

- Shape in Mid Arch based on POWER
- A large forefoot dampening material
- Anatomic dampening in the heel
- Dampening in the area of the 5th metatarsal
- Flexzones in arch
- Improved heel cup
- Perfect visibility of arch type colour system



LOW: 01-0400-165-x

MID: 01-0400-166-x

HIGH: 01-0400-167-x



## STABILITY

01-0400-16x-x | Size: MP 23.0 – 31.0

**The all-purpose 3-Arch Concept genius for all sports that require maximum support and stability within their shoes.**

- Optimal support thanks to a Grip-Mesh Top with a built-in anti-odor function
- A large forefoot dampening element
- Anatomic dampening in the heel
- Added dampening at the base of the 5th metatarsal
- Flexzones in arch
- Improved heel cup for better stability
- Perfect visibility of arch type colour system
- Maximum stability in the rear foot area



LOW: 01-0400-162-x

MID: 01-0400-163-x

HIGH: 01-0400-164-x



## EXPLORE

01-0400-15x-x | Size: MP 23.0 – 31.0

**Top model in 3-arch concept for outdoor sports.**

- Bamboo surface for optimal foot climate
- Cork rear foot stabilizer with flex zones
- EVA cork cushioning layer
- Anatomical cushioning elements



LOW: 01-0400-150-x

MID: 01-0400-151-x

HIGH: 01-0400-152-x



= Performance, = Improve, = Basic





## DYNAMIC

01-0400-15x-x | Size: MP 23.0 – 31.0

**The basic all-purpose model with the 3-Arch Concept for all sports involving dynamic movements.**

- Microfiber-Jersey with a built-in anti-odor function
- Boasts a very lightweight, breathable design
- Dampening elements in forefoot and rear foot



## CORK

01-0400-190-x | Size: MP 23.0 – 31.0

**An all-purpose base construction with a cork surface featuring self-regulating moisture management.**

- Has a cork surface with outstanding grip qualities
- Excellent fore foot and rear foot cushioning



## BALANCE

01-0400-153-x | Size: MP 23.0 – 31.0

**The ultra-thin model for everyday use.**

- Cork rear foot stabilizer
- Microfiber coating and perforation
- Heel cushioning



## MOTION

01-0400-158-x | Size: MP 23.0 – 31.0

**The all-round model for all dynamic sports.**

- **NEW:** Anatomical basic fit
- Perfect hold due to EVA Top-Grip surface
- Stabilizer for supporting dynamic movement
- Heel and fore foot cushioning

**NEW**





# TUNE YOUR FEET LIKE A PRO

Your success is important to us!  
That's why we support you with effective advertising material from our Anna Veith campaign:

Posters, stickers, and videos can be downloaded directly from [tunelikeanna.com](http://tunelikeanna.com) and/or ordered from our Customer Service.

TUNE  
LIKE  
ANNA

Anna Veith



ANALYZE



SELECT



CUSTOMIZE

**BOOTDOC**  
TUNE YOUR FEET

**HOTRONIC®**  
HEATING SYSTEM

Part of  
**WINTERSTEIGER**  
Group

[tunelikeanna.com](http://tunelikeanna.com)



NEW

90

## THERMO

01-0400-193-x | Size: MP 23.0 – 31.0

**The insole model with Merino coating for optimal foot climate and warm feet.**

- Merino fiber coating
- Semi-Shell design
- Cardboard packaging



90

## JUNIOR

01-0400-175-190 | MP 17/18/19  
01-0400-175-210 | MP 20/21  
01-0400-175-230 | MP 22/23

**Sporty design for children's and youth activities.**

- Anatomical insoles for children and teenagers
- Boasts a Mesh Top with a built-in anti-odor function
- Available in 3 sizes



93-100


## GEL COMFORT

**GEL COMFORT insoles provide more comfort for the foot, whether for sports or everyday activities.**

- Gel insoles made from 2 components for perfect cushioning
- Gentle support for the heel and arch area
- Optimum, universal fit
- Perforated for breathability



01-0400-139



01-0400-140

## RENTAL INSOLES



## FUNCTION

01-0400-169-x | Size: MP 23.0 – 31.0

**The premium model that guarantees very easy entry.**

- Boasts a Mesh Top with a built-in anti-odor function
- Extremely lightweight with maximum stability
- Perfect transmission of energy thanks to semi-shell construction
- Size is printed on the top surface
- Cardboard packaging



## ALLROUND

01-0400-170-x | Size: MP 23.0 – 31.0

**The dynamic sports design for ambitious skiers.**

- Boasts a Mesh Top with a built-in anti-odor function
- Maximum comfort thanks to dynamic sport construction
- Size is visible
- Blister packaging



## RENTAFIT

01-0400-171-x | Size: MP 23.0 – 31.0

**The all-purpose model with an anatomic base construction for all rental footwear.**

- Boasts a Mesh Top with a built-in anti-odor function
- Size is printed on the top surface
- Blister packaging




## RENTASOLE

01-0400-172-x | Size: XS – XXL | 12 pairs / units

**Reinforced substitute insole for ski rental. Comes in a multipack.**

- Insole with sides that differ in hardness
- Can be used to replace worn insoles at ski rental centers



= Performance,



= Improve,



= Basic





FOAM LINERS

# FOAM LINERS

The perfect fit for all levels of ski boots. An individually fitted pair of foam liners from BOOTDOC is the ultimate choice, with the proven Quick Foam technology guaranteeing optimum comfort.



LINK TO  
FOAM LINER  
FITTING VIDEO



# THE BEST SKI BOOT

## FOR EVERY KIND OF SKIER.

### QUICK FOAM CONCEPT (QF)

for the Classic Foam and Performance Foam models

- Simple, fast, and uncomplicated
- No need to tape the feet
- Self-regulating foam volume system
- Membrane instead of tubing the forefoot area
- Asymmetrical tongue system
- Sealed seams for more warmth
- HF-fused foam areas  
(Classic and Performance models)
- Easy removal of the foam tubing

### PRESSURE FOAM CONCEPT (PF)

for the Worldcup Foam model

- High-pressure foam design made from 2 components
- Asymmetrical racing tongue design
- HF-fused foam areas
- Adhesive material for problem areas
- Sealed seams for more warmth
- Spoiler for calf adjustment



## CLASSIC FOAM (QF)

01-0900-070-x | Size: 22.0 – 31.0

The Quick & Easy construction that offers optimal support.

- Pleasant and easy entry
- 2 Spoiler for cushioning and calf adjustment
- Warmer feet thanks to a neoprene toe box, sealed seams and merino lining
- Fused foam pockets
- Tongue integration
- Anatomical performance for lasts
- Stretchable insoles for optimal fitting of last widths



98 - 104



## PERFORMANCE FOAM (QF)

01-0900-050-x | Size: 23.0 – 31.0



The PERFORMANCE FOAM combines the design of the WORLD CUP FOAM with the sophistication of the Quick Foam concept.

- Optimum transmission of energy through racing inner lining and slim "performance" design
- Sole design
- Worldcup Foam design with membrane and Quick Foam concept
- Perfect fit due to asymmetric tongue
- Warmer feet due to neoprene toe box and sealed seams
- Fused foam pockets
- Redesigned tongue integration
- Anatomical performance for lasts
- Stretchable insoles for optimal fitting of last widths



95 - 102



= Performance,  = Improve,  = Basic



## WORLD CUP FOAM (PF)

01-0900-019-x | Size: 23.0 – 31.0

**The liner for high-performance athletes that fits perfectly thanks to an asymmetrical racing tongue.**

- Optimal transmission of energy thanks to a racing lining and slim racing structure
- Always fits perfectly thanks to an asymmetric racing tongue
- Strobel sole design
- Warmer feet thanks to a neoprene toe box and sealed seams
- Fused foam pockets
- Redesigned tongue integration



95 - 102



## FOAM TONGUE

01-0900-007-x | Size: 22.0 – 31.0

**An asymmetric, custom tongue for a precise anatomical fit.**

- Easy to use thanks to a cartridge system
- Space-saving thanks to an extra thin structure
- Very comfortable foam



### ACCESSORIES

#### FOAM TONGUE STRAP

01-2100-057 | Size: uni



#### TOE CAPS / FOAM CAPS

Size: XS – S, M – L,  
XL – XXL



01-0900-013-x

01-0900-040-x

#### PRESSURE FOAM KIT

01-0900-021-x | Size: 22.0 – 31.0

**For foaming the Worldcup Foam.**



#### FOAM KIT

01-0900-020-x | Size: 22.0 – 31.0

**For foaming all Quick Foam models.**



**NEW**

#### ISO HARDENER KIT

01-0900-071 | 15 g

- Set of 2 bottles, each with 15 g hardener
- To be added to the Foam Kits to produce a firmer foam



# 4 STEPS TO SUCCESS.

We all strive for maximum results and best sell through of our products. To be able to reach this goal we want to:

- Analyze market potential and select the right product and tooling mix.
- Train your sales staff to achieve the best customer satisfaction.
- Support in all aspects for the best sales results.
- Help you meet your sales target.

1

## SELECT

- Definition of target group
- Selection of product group
- Evaluate quantity of sold footwear
- Analyzing the potential (footwear sales vs. insole sales)
- Selection of analysis and fitting tools
- Set targets per week / month / year

2

## TRAIN

- Intense training of the sales staff
- BOOTDOC-Only Day
- Education of BOOTDOC Sales Experts according to the BOOTDOC Sales Academy status
- Documentation of education program and downloads of training videos
- Certificate
- Continued education

3

## SUPPORT

- Assignment of a BOOTDOC Sales Expert
- Consistent updates
- Active sales support at BOOTDOC Action Days

4

## REFLECT

- Weekly control of sales figures internally
- Check ratio of sold shoes vs. insoles
- Monthly / annual contest



PAGE

WINTER

OUTDOOR

RUNNING

DYNAMIC\*

YEAR  
ROUND

PERFORMANCE

**PERFORMANCE**

01-0500-14x-x



31

**COMFORT**

01-0500-14x-x



31



PRO PERFORMANCE

**RACE ULTRA**

01-0500-146-x



32

**RACE MERINO**

01-0500-147-x



32

**CRYSTAL CASHMERE**

01-0500-148-x



32



WINTER

**BASIC RED**

01-0500-149-x



33

**BASIC BLACK**

01-0500-150-x



33



ACTIVE

**ACTIVE HIGH**

01-0500-15x-x



35

**ACTIVE SHORT**

01-0500-15x-x



35

**ACTIVE LOW**

01-0500-15x-x



35



\* Dynamic: Suitable for football, tennis, baseball, soccer, and other dynamic activities.



PFI	LENGTH / HEIGHT	QUALITY	CUTE <sup>C</sup>	ECONYL <sup>®</sup> REGENERATED NYLON	MERINO	COMPOSITION
90	KNEE HIGH	NORMAL				47 % Merino, 45 % Nylon, 8 % Lycra
70	KNEE HIGH	NORMAL				47 % Merino, 45 % Nylon, 8 % Lycra
50	KNEE HIGH	VERY THIN				59 % Polyamide, 36 % Polypropylene, 2 % Elastane, 3 % Copper
50	KNEE HIGH	THIN				52 % Merino, 42 % Polyamide, 4 % Elastane, 2 % Copper
30	KNEE HIGH	THIN				27 % Cashmere, 44 % Polyamide, 12 % Silk, 8 % Merino, 5 % Elastane, 4 % Copper
		NORMAL				36 % Acrylic, 26 % Nylon, 19 % Polypropylen, 17 % Merino, 2 % Elastane
		NORMAL				36 % Acrylic, 26 % Nylon, 19 % Polypropylen, 17 % Merino, 2 % Elastane
90	HIGH	THIN				54 % Polyamide, 29 % ECONYL <sup>®</sup> Polyamide, 10 % Elastane, 6 % CuTEC Polyamide, 1 % Copper
70	HALF HIGH	THIN				57 % Polyamide, 30 % ECONYL <sup>®</sup> Polyamide, 2 % Elastane, 8 % CuTEC Polyamide, 3 % Copper
50	SHORT	THIN				59 % Polyamide, 28 % ECONYL <sup>®</sup> Polyamide, 2 % Elastane, 8 % CuTEC Polyamide, 3 % Copper

INTRODUCTION

3D CUSTOM

FUSION

STEP-IN

FOAM  
LINERSPOWER FIT  
SOCKS

HOTRONIC

ANALYSIS &  
FITTINGFITTING  
MATERIAL

MARKETING




POWER FIT SOCKS

# PERFORMANCE

## POWER FIT SOCKS


More performance, better support, and as a pleasant side effect, warmer feet that feel refreshed. BOOTDOC Power Fit Socks with graduated compression and arch-type support stand out from rivals because of their high-quality workmanship and maximum comfort.



Arch-Type support



The Power Fit Index (PFI) indicates how strong the overall level of gradual compression is: PFI 30 designates light compression, while PFI 90 is classified as strong and is therefore only found in our performance series.



## PERFORMANCE POWER FIT SOCKS




## PERFORMANCE PFI 90

01-0500-14x-x | Size: S - XL

**Power Fit Socks with Merino wool and Arch-Type support function for additional warmth, ideal hold and support.**

- Anatomical ankle zones
- Foot type-specific support
- Shin and Achilles tendon protector
- Reinforced toe and heel areas
- Compression: strong – PFI 90, 20 – 25 mmHg
- Material: 47 % Merino, 45 % nylon, 8 % Lycra

BLACK / GREY  
01-0500-140-xBLACK / YELLOW  
01-0500-141-xBLACK / RED  
01-0500-142-x

NEW

90  
PFI

## COMFORT PFI 70

01-0500-14x-x | Size: S - XL

**Power Fit Socks with Merino wool and Arch-Type support function for additional warmth, ideal hold and support.**

- Anatomical ankle zones
- Foot type-specific support
- Shin-protector
- Reinforced toe and heel areas
- Compression: medium – PFI 70, 15 – 20 mmHg
- Material: 47 % Merino, 45 % nylon, 8 % Lycra

BLACK / GREY  
01-0500-143-xBLACK / GREEN  
01-0500-144-xBLACK / PINK  
01-0500-145-x

NEW

70  
PFI

## CUTEC® COPPER TECHNOLOGY

**CuTEC® offers a unique approach**

- Copper - binds to the sulfhydryl groups found on proteins. Inactive enzymes, disrupting normal metabolic processes by binding to DNA and inhibiting cell replication
- Copper - disrupts cellular respiration and binds to microbial DNA.

**CuTEC® is an engineered fiber or fabric creating the right blend for the right concentration on the surface to maximize fabric and sock performance**

**CuTEC® is a permanent part (meaning both INSIDE and OUT, and never washes out) of the fiber or fabric**

**The products that contain CuTEC® help reduce odor, improve hygiene and enhance the look and feel of the skin creating a healthier environment for the wearer**



Odor control



Hygiene



Skin Wellness

Maximum  
ComfortActivity  
ActivatedLEARN MORE  
ABOUT CUTEC®



## PRO PERFORMANCE POWER FIT SOCKS

**RACE ULTRA PFI 50 BLACK**

01-0500-146-x | Size: S – XL

**NEW**

**Thin racing sock with antimicrobial and anti-odor properties thanks to innovative copper thread.**

- Racing sock with thin design
- Antimicrobial and anti-odor properties through the use of copper
- Reinforcements in the toe and heel areas
- Material: 59 % polyamide, 36 % polypropylene, 2 % elastane, 3 % copper
- Compression: soft – PFI 50, 10 – 15 mmHg

**29 CuTEC®**

50 PFI

**RACE MERINO PFI 50 BLACK**

01-0500-147-x | Size: S – XL

**NEW**

**Thin merino racing sock with antimicrobial and anti-odor properties thanks to innovative copper thread.**

- Racing sock with thin design
- Antimicrobial and anti-odor properties through the use of copper
- Reinforcements in the toe and heel areas
- Material: 52 % merino, 42 % polyamide, 4 % elastane, 2 % copper
- Compression: soft – PFI 50, 10 – 15 mmHg

**29 CuTEC®**

50 PFI

**CRYSTAL CASHMERE PFI 50 BLUE**

01-0500-148-x | Size: S – XL

**NEW**

**Thin, comfortable sock with a combination of selected materials: cashmere, silk, and Merino deliver unique wearing comfort and foot climate. Cozy warm feet with a perfect fit.**

- Unique material combination: 27 % cashmere, 44 % polyamide, 12 % silk, 8 % Merino, 5 % elastane, 4 % copper
- Reinforced toe and heel areas
- Compression: soft – PFI 50, 10 – 15 mmHg

**29 CuTEC®**

50 PFI



= Performance,



= Improve,



= Basic



## WINTER PERFORMANCE POWER FIT SOCKS



## BASIC RED

01-0500-149-x | Size: S - XL

NEW

**Multifunctional winter sports socks with protection from the cold thanks to merino.**

- Perfect protection thanks to shin protectors
- Fits perfectly with the stretch zone function
- Very durable with special reinforcement in the ankle area
- Material: 36 % acrylic, 26 % nylon, 19 % polypropylene, 17 % merino, 2 % elastane



## BASIC BLACK

01-0500-150-x | Size: S - XL

NEW

**Multifunctional winter sports socks with protection from the cold thanks to merino.**

- Perfect protection thanks to shin protectors
- Fits perfectly with the stretch zone function
- Very durable with special reinforcement in the ankle area
- Material: 36 % acrylic, 26 % nylon, 19 % polypropylene, 17 % merino, 2 % elastane



## RECOMMENDATION

## TRY ON SOCKS

10-3300-101 | Size: uni

NEW

- Thin Try on Socks for the hygienic boot fitting process (for trying on boots, adjusting insoles, etc.)
- 100 pairs in one dispenser





POWER FIT SOCKS

# ACTIVE POWER FIT SOCKS

The models in the Active range offer greater performance, optimal support, and quicker recovery. BOOTDOC Power Fit Socks with compression function, Arch-Type support, and copper yarns shine thanks to high-quality workmanship and maximum wearing comfort. The use of copper also has an odor-inhibiting and antibacterial effect.

Arch-Type support



## PFI POWER FIT INDEX



The Power Fit Index (PFI) indicates how strong the overall level of gradual compression is: PFI 30 designates light compression, while PFI 90 is classified as strong and is therefore only found in our performance series.

Made with 100% Regenerated Nylon

# ECONYL®

Our appetite to create new products and buy new products is infinite. The planet's resources aren't. But it's okay because we can have both: new products and a better environment. Nylon waste, otherwise polluting the Earth, is transformed into ECONYL® regenerated nylon. It's exactly the same as brand new nylon and can be recycled, recreated and remoulded again and again. That means you can create new products and buy new products without having to use new resources.



LEARN MORE  
ABOUT ECONYL®

## ACTIVE POWER FIT SOCKS



## ACTIVE HIGH PFI 70

01-0500-15x-x | Size: S - XL

NEW

70  
PFI

High quality Power Fit Socks from the high-performance range with Arch-Type support function.

- Arch-Type support design
- CuTEC® technology
- Reinforced toe and heel areas
- Achilles tendon protection
- Knee high
- Compression: medium – PFI 70, 15 – 20 mmHg
- Material: 54 % polyamide, 29 % polyamide ECONYL®, 10 % elastane, 6 % polyamide CuTEC®, 1 % copper

WHITE  
01-0500-151-xBLACK  
01-0500-152-x

## ACTIVE SHORT PFI 30

01-0500-15x-x | Size: S - XL

NEW

30  
PFI

High quality half-height Power Fit Socks from the high-performance range with Arch-Type support function.

- Arch-Type support design
- CuTEC® technology
- Reinforced toe and heel areas
- Achilles tendon protection
- Half-height, ideal for hiking or everyday use
- Compression: gentle – PFI 30, 5 – 10 mmHg
- Material: 57 % polyamide, 30 % polyamide ECONYL®, 2 % elastane, 8 % polyamide CuTEC®, 3 % copper

GREY  
01-0500-153-xBLACK  
01-0500-154-x

## ACTIVE LOW PFI 30

01-0500-15x-x | Size: S - XL

NEW

30  
PFI

High quality short Power Fit Socks from the high-performance range with Arch-Type support function.

- Arch-Type support design
- CuTEC® technology
- Reinforced toe and heel areas
- Achilles tendon protection
- For all applications where short, ankle-high socks are preferred
- Compression: gentle – PFI 30, 5 – 10 mmHg
- Material: 59 % polyamide, 28 % polyamide ECONYL®, 2 % elastane, 8 % polyamide CuTEC®, 3 % copper

BLACK  
01-0500-155-xWHITE  
01-0500-156-x



SKI



SNOWBOARD



SKI TOUR



BIKE



TREK



CLIMB



SKATE



RIDE



HUNT



FISH

# HOTRONIC






The XLP P series from HOTRONIC is setting new standards in foot heating systems. The special lithium-ion technology, combined with state-of-the-art electronics, makes the batteries very compact and light. The batteries are barely noticeable and can be controlled either directly or with Bluetooth via the HOTRONIC Heat app.

The constant heat level control ensures a regular temperature throughout use.



## HOTRONIC HEAT APP

- The five heat settings with additional Power Boost level can be conveniently controlled on a smartphone using the Heat app via Bluetooth
- Stand-by mode
- Battery storage mode for summer storage
- The app provides an overview of the current battery charge level and the heat settings.
- The HOTRONIC Heat app is available for free in the App Store and Google Play Store.



Works with  
Bluetooth

Available on the  
App Store

Get it on  
Google Play



**SURROUND  
TECHNOLOGY**



# XLP P SERIES

## BATTERY PACKS

NEW

Three models to choose from. The Bluetooth versions can also be controlled with the HOTRONIC Heat app:

XLP 2P BT: 4400 mAh,

XLP 1P BT: 2200 mAh,

XLP 1P: 2200 mAh



## RECHARGING

NEW

The newly developed charging plug including reverse polarity protection for all XLP P models has a USB-A connection, exchangeable 230 V EU, and additional 110 V US power plug. Input: 100 - 240 V, output: 5 V / 2.1 A




## FITTING PERFORMANCE


Two basic versions of the Heat Socks with compression are available to choose from:

**COMFORT:** The material composition and design provide a comfortable fitting sock.

**THIN:** The thin version is available to customers who want their Heat Socks to take up the minimum possible space inside their footwear. Once again, the compression offers optimum wearing comfort and shoe fit.




## HEAT ELEMENT SURROUND



- Surround heating element in the outer layer for greater comfort and better heat transmission.
- The battery packs are simply attached to the inner cuffs of the Heat Socks using snap fasteners.
- Five levels of heating power are available and are set on the battery pack itself, including a Power Boost setting for a short boost of extra heat (approx. 3 minutes).

## HEAT ELEMENT CLASSIC



- Classic heating element
- The battery packs are simply attached to the inner cuffs of the Heat Socks using snap fasteners.
- Five levels of heating power are available and are set on the battery pack itself, including a Power Boost setting for a short boost of extra heat (approx. 3 minutes).

**HOTRONIC®**  
HEATING SYSTEM

HEAT SOCKS SET

## HEAT SOCKS SET XLP 2P BT SURROUND COMFORT

01-0100-351-x | Size: XS – XL | 1 Set

NEW

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 4400 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and heat app
- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % Lycra / Spandex, 6 % Merino



**SURROUND  
TECHNOLOGY**

50  
PFI

## HEAT SOCKS SET XLP 1P BT SURROUND COMFORT

01-0100-352-x | Size: XS – XL | 1 Set

NEW

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and heat app
- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % Lycra / Spandex, 6 % Merino



**SURROUND  
TECHNOLOGY**

50  
PFI

## HEAT SOCKS SET XLP 1P SURROUND COMFORT

01-0100-353-x | Size: XS – XL | 1 Set

NEW

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % Lycra / Spandex, 6 % Merino



**SURROUND  
TECHNOLOGY**

50  
PFI

**HOTRONIC®**  
HEATING SYSTEM


## HEAT SOCKS SET XLP 1P CLASSIC COMFORT

01-0100-354-x | Size: XS – XL | 1 Set

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % Lycra / Spandex, 6 % Merino



50 PFI

NEW

## POWER SETS

### XLP 2P BT POWER SET

01-0100-355

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 4400 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and heat app




NEW

HEAT SOCKS SET XLP 2P BT TEMPERATURE &amp; DURATION CHART

SETTING	DURATION RANGE	APPROX AVG TEMP RANGE
1	16 – 18.5 h	28° – 35° C 82° – 95° F
2	9 – 12 h	42° – 48° C 107° – 118° F
3	6.5 – 8.5 h	49° – 58° C 120° – 138° F
4	5 – 6 h	59° – 69° C 138° – 158° F

Based on Battery pack in ambient temperature of 0° – 10° C (32° – 50° F)  
Based on Heating Element in ambient temperature of 20° – 28° C (68° – 79° F)  
Boost Setting 4 auto-returns to Setting 3 within 3 minutes. Total duration in chart is for information only.

XLP 2P BT CONSTANT HEATING POWER CHART



### XLP 1P BT POWER SET

01-0100-356

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and heat app




NEW

HEAT SOCKS SET XLP 1P BT TEMPERATURE &amp; DURATION CHART

SETTING	DURATION RANGE	APPROX AVG TEMP RANGE
1	8 – 10 h	28° – 35° C 82° – 95° F
2	4 – 6 h	42° – 48° C 107° – 118° F
3	3 – 4.5 h	49° – 58° C 120° – 138° F
4	2.5 – 3.5 h	59° – 69° C 138° – 158° F

Based on Battery pack in ambient temperature of 0° – 10° C (32° – 50° F)  
Based on Heating Element in ambient temperature of 20° – 28° C (68° – 79° F)  
Boost Setting 4 auto-returns to Setting 3 within 3 minutes. Total duration in chart is for information only.

XLP 1P BT CONSTANT HEATING POWER CHART



### XLP 1P POWER SET

01-0100-357

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power



NEW

**HOTRONIC®**  
HEATING SYSTEM

HEAT SOCKS ONLY



## HEAT SOCKS ONLY PFI 50 SURROUND COMFORT

01-0100-347-x | Size: XS – XL | 1 Pair

- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % Lycra / Spandex, 6 % Merino



50  
PFI



**SURROUND  
TECHNOLOGY**



## HEAT SOCKS ONLY PFI 50 CLASSIC COMFORT

01-0100-332-x | Size: XS – XL | 1 Pair

- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % Lycra / Spandex, 6 % Merino



50  
PFI



## HEAT SOCKS ONLY PFI 30 SURROUND THIN

01-0100-349-x | Size: XS – XL | 1 Pair

- Ideal fit, thin design
- Ideal moisture transfer
- Compression: gentle – PFI 30, 5 – 10 mmHg
- Material: 80 % nylon, 20 % Lycra / Spandex



30  
PFI



**SURROUND  
TECHNOLOGY**

NEW



## HEAT SOCKS ONLY PFI 30 CLASSIC THIN

01-0100-350-x | Size: XS – XL | 1 Pair

- Ideal fit, thin design
- Ideal moisture transfer
- Compression: gentle – PFI 30, 5 – 10 mmHg
- Material: 80 % nylon, 20 % Lycra / Spandex



30  
PFI

NEW



**HOTRONIC®**  
 HEATING SYSTEM

## ACCESSORIES

### BATTERY PACK XLP 2P BT


01-0100-358



- High-performance, low-weight Li-ion batteries in a compact design
- Output: 4400 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and heat app

### BATTERY PACK XLP 1P BT

01-0100-359



- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and heat app

### BATTERY PACK XLP 1P

01-0100-360



- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power

### RECHARGER XLP 2P & 1P WITH USB LOAD PLUG

01-0100-361



- Charger with EU & US plug and USB A connection / output 5.0 V, 2.1 A
- Charging plug with USB A for XLP 2P BT, XLP 1P BT, and XLP 1P battery packs

### USB LOAD PLUG FOR XLP 2P & 1P

01-0100-362



- Charging plug with USB A for XLP 2P BT, XLP 1P BT, and XLP 1P battery packs

### RECHARGER XLP 2P & 1P

01-0100-363



- Charger with EU & US plug and USB A connection / output 5.0 V, 2.1 A

### EXTENSION CORD XLP 2P & 1P

01-0100-364 | 2 Pieces | Length: 120 cm



- Extension cable for routing the XLP P battery pack fastener

## BAGS

### SKIBOOT BAG

01-2100-024 | 54 % Polyester, 46 % nylon

- Size: D 44 x W 27 x H 40 cm



### RACING BAG PRO

01-2100-122 | 54 % Polyester, 46 % nylon

- Capacity: 70 liters
- Dimensions: D 33 x W 44 x H 54 cm
- Many practical compartments and storage options
- Stowage net on side and fastening cord on top
- Anatomically adaptable carry system

NEW



The rucksack can also be equipped with a heating element

### TRAVEL BAG

01-2100-112 | nylon 400 D


- Capacity: 90 litres
- Size: D 41 x W 33 x H 70 cm
- Material: Water repellent
- Removable grip
- Low-noise rollers



### BACK PACK TROLLEY

01-2100-113 | 100 % nylon

- Capacity: 40 litres
- Size: D 18 x W 40 x H 55 cm
- Removable grip
- Low-noise rollers



## HEATED BAGS

HEATED SKI  
BOOT BAG

01-2100-082 | 54 % Polyester, 46 % nylon

- Size: D 26 x W 44 x H 49 cm
- Can be used with a carrying strap or as a backpack
- 230 V and 12 V car adapter

HEATED RACING  
BAG PRO


01-2100-123 | 54 % Polyester, 46 % nylon

- Capacity: 70 liters
- Dimensions: D 33 x W 44 x H 54 cm
- Many practical compartments and storage options
- Stowage net on side and fastening cord on top
- Anatomically adaptable carry system
- Heating mat with 230 V power plug and 12 V car adapter

NEW

REPLACEMENT MAT FOR SKI-  
BOOT BAG / RACING BAG PRO

01-2100-106 | 1 piece



## DESIGN YOUR OWN HEATED BAG

BOOTDOC HEATED BAG  
WITH YOUR LOGO

MATERIAL: 54 % Polyester, 46 % nylon

- Strengthen team spirit with branded heated bags and successfully promote customer loyalty
- From a total order quantity of 100 units



# HOTRONIC® BOOT DRYER

## MICRO DRY

01-0100-5205 | 110-230 V | 12 V

**Compact electric shoe and boot dryer.**

We're all familiar with that unpleasant feeling of walking around in cold, wet shoes. Thanks to the MICRO DRY, this is now a thing of the past! The handy shoe and boot dryer for the home and on the go dries ski and snowboard boots, winter boots, casual footwear, sneakers, and work boots gently and efficiently. Gentle drying means that the material is not damaged or even deformed. With its compact dimensions, this lightweight drying device can be placed in the smallest bag and can be conveniently taken anywhere.

The MICRO DRY is extremely flexible. You can use it at home or in a hotel, when you're out for a day of winter sports, or on the way to work: simply plug it in to the 12 V outlet in your car and preheat your shoes.

- Gentle drying temperature and airflow to ensure a longer lifetime for your shoes and boots
- Optimum heat circulation
- Protection against overheating (max. 70 °C)
- Includes 230 V plug, 110 V plug and 12 V car adapter
- 6 watts




SKIING



HIKING



RIDING A BIKE




RUNNING



DAILY LIFE



BUSINESS



LIFESTYLE



WORK



**HOTRONIC®**  
HEATING SYSTEMBOOT, GLOVE AND  
HELMET DRYER**TECH DRY**


01-0100-5206 | 110 V

01-0100-5207 | 230 V

**Electric dryer for shoes, boots, gloves, and helmets.**

Using warm air, TECH DRY dries wet shoes, boots, ski boots, and gloves, as well as motorbike, bicycle, and horse-riding helmets, in a short time and without damaging the material. Even leather boots and shoes can be dried thoroughly and with care. As soon as the footwear or helmet is pulled over the drying attachment, the program starts automatically and warm air is circulated throughout the footwear or helmet.

In the winter months, the TECH DRY is indispensable for all those who like to be outdoors whatever the weather, and it can also be used for preheating.

- Time and temperature setting up to 360 minutes
- Temperature scale up to 60 °C
- Automatic start/stop operation when items are placed on, or removed, from machine
- Digital display 
- Overheat protection switch-off for greater safety
- Quiet operation
- Removable attachment for shoes, boots, or helmets
- Scope of delivery: 230 V plug
- 300 watts

Attachment for shoes, boots, gloves;  
2 x attachment for helmets

**APPLICATION OPTIONS**



# ANALYSIS & FITTING

Professional fitting is based on analysis of the foot. From the three-dimensional representation of both feet using the BOOTDOC 3D Scanner VANDRA to its easy-to-use Feet View, BOOTDOC offers several devices that revolve around this. Because each BOOTDOC insole can be heated and custom molded and BOOTDOC has designed specific heating devices for each category of insole and customization. Depending on the style of insole, and experience of the shop, the BOOTDOC insoles can be customized by using a specialty VAC system, Autofit BT or molding pillows.



ANALYZING SYSTEMS

HEATING SYSTEMS


FITTING SYSTEMS

COMBINATIONS


EXPERT



3D SCANNER VANDRA



3D HEATER



AUTOFIT BT



AUTOFIT CENTER BT



VAC IV ELECTRIC



FIT CENTER


PROFESSIONAL



PODOSCOPE 4



SPEED HEAT  
DIGITAL 3L



AUTOFIT BT



CMT-SYSTEM



AUTOFIT CENTER BT


BASIC



FEET VIEW



HEAT GUN



PILLOWS 13



FMD FOOT  
MEASURE DEVICE



# 3D SCANNER VANDRA

SIMPLE. FAST. 3D.

## 3D SCANNING IN A NEW DIMENSION

The new BOOTDOC Scanner Vandra, developed in cooperation with the Swedish technology start up Volumental, sets new standards in 3D visualization of feet.

## THE TECHNOLOGY

Thanks to the latest technology of 4 depth compensation cameras both feet are measured and 3D rendered within a few seconds. The visualized 3D picture is of the highest precision and can be analyzed from various angles.


## THE ANALYSIS

Just step on the 3D Scanner without any other device. No changing of socks or special equipment is required. This guarantees efficiency, high comfort, and no hygiene hassle during the analysis process.

## INFORMATION DATA

The 3D Scanner Vandra offers vast information about, and eleven measurements of, the foot. The result is visualized in the split-screen app on the tablet. The left side shows the 3D rendered foot which can be looked at from all angles with zoom in / out function. The right side allows you to scroll up or down to view all the measurement data.

- Length and width of both feet as well as size recommendation in US, UK, EU, MP with manual correction option
- Visualization of the foot type LOW / MID / HIGH arch
- Zoom in / out function on the 3D model
- Instep height and heel circumference
- Instep length as well as width and volume recommendation
- Measurement information can be e-mailed to clients



## THE DATA

The result of the analysis is a vast number of information and measurements around the foot. The Vandra can not only provide length and width but also arch type, instep height, volume recommendation and other useful information to allow for the best customer service. The data is anonymously stored in an online cloud and is being used for further developments around the footwear and insole business.

## THE SIMPLICITY

It's amazing how simple it is to use the Vandra 3D Scanner. The plug & play version includes an intuitive portable touchscreen tablet that is easy to use. The analysis process is done within a few seconds and can be discussed with the customer using the tablet for visuals.



SCREEN SHARING



TABLET SHARING



## ANALYSIS SYSTEMS

## 3D SCANNER VANDRA

01-2300-110 | Size: D 67 x W 80 x H 32 cm

The Vandra 3D foot scanner delivers a three-dimensional image of both feet in seconds.

It provides a wealth of measurement data on instep height, ankle circumference, inner foot length and so on while also recommending sizes. The data can be used to find the right ski boots / sport shoes and insoles quickly. A high level of hygiene and comfort are guaranteed because customers can keep their own socks on while using the scanner, thus eliminating the need to remove their socks.



ISPO AWARD  
PRODUCT OF THE YEAR  
2017/2018

A permanent connection to the Internet via WLAN or LAN is necessary.

## OPTIONAL ACCESSORIES

3D SCANNER  
STEP UP BOX

01-2300-114

Size: D 77 x W 88 x H 44 cm




Following a slight increase in the height of the pedestal, the 3D Scanner Vandra now has a better presence in-store is protected by the Step Up Box.

\* Vandra not included

TABLET  
SAFETY DISPLAY

01-2300-098

Size: D 30 x W 33 x H 132 cm



The Tablet Safety Display protects the Tablet Vandra and is also fitted with an anti-theft feature.

\* Tablet not included

## ELOTOUCH

NEW

As an alternative to operate the Vandra 3D foot scanner with the tablet, the Elotouch version opens up new possibilities for system presentation and operation.



VIDEO





## ACCESSORIES

**TABLET VANDRA**

01-2300-102

Size: D 0.6 x W 24 x H 17 cm



The Tablet Vandra is needed to use the 3D Scanner. Information sharing is possible when several tablets are in use. Model and colour may vary from product shown.

**SCREEN CASTING SET VANDRA**

01-2300-099



The Screen Casting Set Vandra is needed to display the content of the Tablet Vandra on a larger screen or TV via the screen-sharing function.


**INFO SET STEP UP BOX**

01-2300-150

Information sign in two languages, printed on both sides.



GERMAN



ENGLISH

**ELO I-SERIES 2.0**

01-2300-166 | 54.6 cm (21,5")

**NEW**

21.5" screen shows the results of the Vandra 3D foot scanner down to the smallest detail. The explanation of the results and operation make foot analysis an attractive service in every shop.

- SSD
- Android

**ELO WALLABY SELF SERVICE STAND AND FLOOR BASE**

01-2300-167 | Size: D 14 x W 16 x H 120 cm

01-2300-168 | Size: D 37 x W 57 x H 3 cm

**NEW**

Sturdy, high-quality display, easy to mount, and printer connection is also quick.

\* Printer not included

**PRINTER STAR TSP143IIU ECO**

01-2300-169

**NEW**

- Slip printer, thermal direct
- 8 points / mm (203 dpi)
- Variable paper width (58 / 80 mm)
- Maximum print width: 72 mm
- Cutter
- ESC / POS
- USB cable and power cord

**SPARE PAPER ROLL FOR THE STAR TSP143IIU ECO PRINTER**

01-2300-186 | Width: 80 mm

Do you have questions  
about our products? Our  
BOOTDOC team is looking  
forward to your inquiry:  
[office@boot-doc.com](mailto:office@boot-doc.com)





## 2D FOOT ANALYSIS

### PODOSCOPE 4 (INCL. L & W MEASURING GAUGE)

01-2300-146 | Size: D 79 x W 58 x H 117 cm

**Precise display of the foot type (LOW, MID or HIGH Arch) via an LED illuminated glass plate.**

- Professional analysis and fitting are possible even in very small areas
- Heating and fitting devices can be combined perfectly
- Speed Heat Digital 3L and Molding Pillows need to be ordered separately



## OPTIONAL ACCESSORIES PODOSCOPE

### LASERSET

01-2300-057

- Used to align the leg axis



### PODOSCOPE CASTORS

01-2300-076

- Make moving the device easy




## FEET VIEW

01-2300-072 | Size: D 48 x W 25 x H 5 cm

**The FEET VIEW offers the simplest form of foot analysis that determines foot arches and sizes quickly.**

- Integrated length and width measurement
- Uses a non temperature specific foil, which allows year round use



### FOIL FOR FEET VIEW

01-2200-049 | 5 pcs. / units

## FMD FOOT MEASURE DEVICE

01-2300-118 | Size: 47 x 52 cm

- Robust and simple foot measuring device
- Displays the length of the foot / shoe size as well as the width of the foot
- Classifies the foot as narrow / medium / wide
- Folding mechanism for easy cleaning





## MEASURING GAUGE

A robust foot measuring gauge for precise Mondopoint determination of the foot length and width in millimeters.



**BRANNOCK**  
57-305-004  
Size: up to MP 34.0



**BRANNOCK JUNIOR**  
57-305-007  
Size: up to MP 24.0

## COMBINATIONS

### FIT CENTER

01-2300-142 | Size: W 77 x H 131 x D 81 cm

The Fit Center has a new ergonomic design and comes in a number of different configurations.

- Modular, compact analysis and adjustment center
- Electrically height-adjustable seat
- Height-adjustable handholds
- Removable module for analysis options



Analysis and molding tools are purchased separately

### PODOSCOPE FOR FIT CENTER (110/230V)

INCL. L & W MEASURING GAUGE

01-2300-143 | Size: D 58 x W 44 x H 20 cm

Precise detection of the foot type (LOW, MID or HIGH arch) via an LED illuminated glass plate.

- Professional foot analysis in the smallest footprint



Accessories for the PODOSCOPE and FIT CENTER can be found on the following pages.




Discover now:  
[boot-doc.com/autofit](http://boot-doc.com/autofit)

# AUTOFIT BT

## THE FITTING SYSTEM FOR INSOLES.

### THE AUTOMATED FITTING SYSTEM FOR INSOLES.

The newly developed, patent-pending AUTOFIT system adapts insoles to the customer's foot shape automatically and in next to no time. All functions are easily controlled from a tablet or cell phone. The Fit Pods are electrically adjusted to the respective hip width and the preheated insoles are pressed against the foot using a special membrane and air pressure



### FROM FORE FOOT TO HEEL.

To facilitate optimum positioning of the insoles in the Fit Pods, a vacuum is generated first. The fore foot covering is adjusted to the correct shoe size and the preheated insoles are inserted. The customer then places their feet on the insoles. Depending on their preference, this fitting can be done while sitting or standing. A laser helps to align the leg axis.



After switching the AUTOFIT from vacuum to air blowing, the membrane is pressed against the foot from the fore foot to the heel. The weight of the customer and the type of fitting can be defined. The preheated and thus flexible insole hardens in the exact shape formed by the foot with a partial weight bearing. The result is a perfect fit! The processing time can be adjusted precisely within a predefined time frame and optimized for the respective insole type. Errors in insole production are prevented thanks to the simple, quick, and automated procedure, and reproducible results are ensured. This technical innovation allows for the adaptation of STEP-IN, FUSION, and also 3D insoles.


The Fit Pods and the membrane can be easily replaced if required. AUTOFIT is offered as a stand-alone solution, but can also be integrated into the AUTOFIT<sup>®</sup> CENTER BT. Along with hand holds, it is also equipped with a seat height adjustment, which can also be controlled via the tablet so that the customer can always maintain a 90° position to the Fit Pods for a seated fitting.

# AUTOFIT BT

01-2300-157 | Size: D 55.5 cm x W 65.3 cm x H 15.7 cm

The AUTOFIT BT as a stand-alone solution with adjustable membrane for the customization of insoles.


- Automatic insole adjustment in compact design
- Electric hip width adjustment
- Laser-assisted leg axis alignment
- **NEW:** Control via app
- Tablet with installed app included



SILICONE AUTOFIT BT

01-2300-155 | 2 pcs. / units


## CONTROL VIA APP



Open / Start the pre-installed app on the supplied tablet.



Start of the process by creation of the vacuum; positioning of the Forefoot cover and insertion of the warm insert.



Adjusting body weight and Cooling time and whether seated or standing is adapted.



After positioning the feet on the preheated insoles, START of the Adjustment process by PUMP. During the fitting procedure the pressure as well as the cooling time can be changed.



- Adjusting seat height and position the Fit Pods
- On / Off the laser function



## OPTIONAL ACCESSORIES AUTOFIT BT

### AUTOFIT POD LEFT

01-2300-153


- Membrane system with air pressure application for the customization of insoles



### AUTOFIT POD RIGHT

01-2300-154

- Membrane system with air pressure application for the customization of insoles




### TABLET AUTOFIT BT

01-2300-159

The tablet is needed to use the AUTOFIT BT. Model and colour may vary from product shown.

NEW



## COMBINATIONS

### AUTOFIT CENTER BT

01-2300-158 | Size: D 115 cm x W 82 cm x H 85 cm

The AUTOFIT CENTER BT with integrated AUTOFIT BT boasts an ergonomic design and compact dimensions.

- Modular, compact fitting center with small dimensions
- Electric, height-adjustable seat
- Height-adjustable and rotatable handles
- Retractable module for compact storage
- Flexible mounting attachment for the tablet with anti-theft device



\* Autofit BT and Tablet not included



## SND INDOOR SKI CENTER SPORT 1 IN LØRENSKOG, NORWAY

The flagship store extends over 3 floors, one of which is devoted entirely to ski boots. The selection is huge, and the BOOTDOC devices provided in the bootfitting area include the Vandra 3D foot scanner for quick selection, a vacuum fitting system for insoles, and an Ultracam device for perfect ski boot adjustment. Shop Manager Pontus Flinddal: "The BOOTDOC devices give us every opportunity to fully adapt the products to the foot type. Our exacting requirements ensure that customers will remember a perfect day of indoor skiing."



## THE BEST FRIEND OF A BOOTFITTER

### BOB SKINNER'S SKI & SPORT IN NEWBURY, NEW HAMPSHIRE, USA

Since 1985 Frank MacConnell has been running Bob Skinner's Ski & Sport sports shop at the foot of Mount Sunapee in New Hampshire. He is a master bootfitter and former ski racer. Since the acquisition of Edgewise - Elite Ski Service in 2017, Bob Skinner's Ski & Sport also offers ski service for ski racing. Edgewise offered ski service the best Alpine ski racers for years, including the U.S. Ski Team. Frank has combined the highest quality boot fitting and top ski service under one roof.

To bolster his bootfitting efforts, Frank chose BOOTDOC's Vandra 3D scanner during a product demonstration at the Providence trade show in 2019. Even before his foot scan was completed – less than 15 seconds – he said: "I'll take the device!" While standing on the scanner, he imagined how the Vandra scanner would support him and his staff and raise their ski boot fitting to a higher level. After his first season, Frank MacConnell confirms that "the Vandra can do everything I imagined and fully meets all my expectations".





## FITTING SYSTEMS

**VAC IV ELECTRIC** (110/230 V)

01-2300-140 | Size: D 59 x W 52.4 x H 15 cm

**Electric Vacuum Casting System for molding custom insoles.**

- 2 separate, large silicon cushions with additional width-adjustment feature provide for perfect processing
- Speed regulator ensure optimum cushion firmness and air pressure
- High-quality silicon for longevity and excellent heat absorption
- Anti-slip protection in cushion area

**PILLOW VAC IV**

01-2300-141 | Size: D 43 x W 22 x H 5 cm

Robust, replacement cushions for the VAC IV electric.

**COOL PACK**  
01-2300-145**SUITABLE FOR  
FIT CENTER****CMT** (CUSTOM MOLDING TOOL)

01-2300-095 | Size: D 55 x W 64.5 x H 8 cm

**The CMT allows precise and simple customizing of Step-In and 3D insoles, with no power supply needed. The casting is carried out by a special wax inside the chambers.**

- Durable thanks to high-quality materials
- Easy to use
- Hip width can be adjusted manually (no tools needed)
- Molding can be carried out quickly and precisely
- Pre-molded pillows for both the right and left foot
- **NEW:** Silicone molding surface

**CMT LEFT REPLACEMENT**

01-2300-104

Size: D 49.5 x W 26 x H 6.5 cm

**CMT RIGHT REPLACEMENT**

01-2300-105

Size: D 49.5 x W 26 x H 6.5 cm



## OPTIONAL ACCESSORIES

**BASEPLATE FOR PILLOWS**

01-2300-131

Size: W 55 x L 46.8 x H 4 cm

**SUITABLE FOR  
FIT CENTER****PILLOWS 13**

01-2300-058

Size: W 17 x L 42 x H 9 cm

**Molding pillows that enable Step-In insoles to be fitted quickly.****SILICONE COVER 012 (REPLACEMENT)**

01-2300-055

**SUITABLE FOR  
PODOSCOPE****FOAMING WEDGE**

10-3100-283

Size: D 44 x W 57 x H 10 cm

**Foam wedge that enables foam liners to be fit perfectly.****SUITABLE FOR  
PODOSCOPE**


## HEATING SYSTEMS

**3D HEATER** (110/230 V)

01-2300-018 | Size: D 50 x W 40 x H 10.5 cm

**Heats up 3D Custom insoles quickly and precisely.**

- Heats all layers evenly
- Time and temperature can be set individually
- Easy cleaning thanks to glass-ceramic surface

SUITABLE FOR  
FIT CENTER**SPEED HEAT DIGITAL 3L** (230 V)

01-2300-132 | Size: D 15 x W 31 x H 26 cm

**The device that heats Fusion and Step-In insoles to the recommended temperature within seconds.**

- Integrated SPEED HEAT LAMP (x3) + one replacement lamp
- Switchable lamp in the heel area to heat this area as well

**Attention:** Lamps are included and not built in. to avoid damage during transport

- Digital variable heating time setting

SUITABLE FOR  
AUTOFIT CENTER BTSUITABLE FOR  
PODOSCOPESUITABLE FOR  
FIT CENTER**SPEEDHEAT FIXATION FOR FIT CENTER AND AUTOFIT CENTER BT**

01-2300-148

**HEAT GUN** by MAKITA (230 V)

01-2300-091

**A high-performance dryer that enables Step-In insoles to be heated up quickly and easily.**

## ACCESSORIES

**SPEED HEAT LAMP**  
(230 V / 300 W)

01-2300-053 | 2 pcs.

**Replacement lamps for the Speed Heat Digital 3L.****SERVICE CHAIR**

01-2300-147







FITTING TOOLS

# FITTING TOOLS

The materials needed to customize footwear for the perfect fit. With the help of BOOTDOC's wide range of fitting materials and devices, every boot fitter has the opportunity to fit 100 % of foot types. We have very high standards in this area, which enables us to meet the requirements of fitting specialists completely.





## SKI BOOT FITTING MATERIALS

**FIT MAT RAW** 5 MM01-2100-040 | Size: 23 x 27 cm  
10 pcs. / units

Grip Surface

**FIT MATERIAL** 3 MM01-2100-027 | Size: 30 x 38 cm  
5 sheets / units**FIT MAT FOAM** 5 MMSize: 23 x 27 cm  
10 pcs. / unitsRED  
01-2100-128BLACK  
01-2100-054**FIT MAT FOAM LINER** 5 MM01-2100-074 | Size: 23 x 27 cm  
10 pcs. / unitsOriginal adhesive foam liner for the  
foaming process.**FIT MAT BUTTERFLY**  
5 MMSize: S / L  
10 pcs. / unitsRED  
S 01-2100-124  
L 01-2100-125BLACK  
01-2100-034-x  
Grip Surface**FIT MAT HEEL** 3 MM01-2100-037-x | Size: S / L  
10 pcs. / units

Grip Surface

**FIT MAT TONGUE** 3 MM01-2100-041-x | Size: S / L  
10 pcs. / units

Grip Surface

**FIT MAT C** 5 MMSize: uni  
10 pcs. / unitsRED  
01-2100-126BLACK  
01-2100-035  
Grip Surface**FIT MAT CALF** 3 MM01-2100-036-x | Size: S / L  
10 pcs. / units

Grip Surface

**FIT TEMPLATES**01-2100-050 | Size: uni  
10 pcs. / units**FIT MAT L** 5 MMSize: uni  
10 pcs. / unitsRED  
01-2100-127BLACK  
01-2100-039  
Grip Surface**FIT MAT HEEL WEDGE**

10 pcs. / units

3 mm	01-2100-066-2	Size: S
3 mm	01-2100-066-4	Size: L
5 mm	01-2100-067-2	Size: S
5 mm	01-2100-067-4	Size: L
9 mm	01-2100-101	

**FIT MAT VOLUME**01-2100-04x-x | Size: S / L  
10 pcs. / units3 mm 01-2100-042-x  
5 mm 01-2100-043-x**FIT MAT HEEL WEDGE WITH GEL**

01-2100-100 | 2 pcs.

5-mm heel wedge with additional  
gel insert for optimum cushioning



## FITTING TOOLS

## FITTING TOOL SET

INCL. CASE 01-2100-047

ONLY CASE 10-5000-031

- Includes Wooden Last Set II, ALU ANKLE PARTS and LENGTH EXTENSION



## FIX 4 HEEL

01-2100-101-2 **SMALL**01-2100-101-4 **LARGE**

- Improved heel support in ski boots with the Fix4Heel system
- Individually adjustable for optimum heel support

## WOODEN LAST SET II

01-2100-085


- Newly developed shapes and geometries.



## PRESS TOOL

01-2100-048

- Easy to use thanks to its manual screw, hydraulic pump function
- Includes LENGTH EXTENSION



## HYDRAULIC PRESS II

01-2100-095

- Easy & quick use in any area of the skiboots
- Hydraulic hand pump with safety valve (> 95 bar)



## HYDRAULIC PRESS SET II

01-2100-088 | Size: 40.5 x 39.5 cm | 2.5 kg

- Easy & quick use in any area of the skiboots
- Hydraulic hand pump with safety valve (> 95 bar)
- Flexible hydraulic tubing with expanding piston
- 5 different extension parts
- 7 different shapes



## TONGUE GUN

55-530-345

- For use with the tongue foam cartridge



## ANKLE HAND SET

INCL. CASE 01-2100-044

ONLY CASE 10-5000-030

- For expanding the ankle and other points of the shell
- Includes MOUNTING POST

ALU ANKLE PARTS  
PRESS TOOL

01-2100-079

- Specially designed for stretching specific areas of ski boot shells.

PRESS TOOL  
LENGTH EXTENSION

01-2100-078

- For use with the press tool for stretching the length of shoes.






## FLEXIBLE SHAFT GRINDER

- ① 55-104-320 Basic device
- ② 55-104-322 Flexible shaft L = 1.5 m + collet wrench
- ③ 55-104-324 Shaft 6 mm, M 12
- ④ 55-104-326 Carbide burr M 12, ball ø 30 mm
- ⑤ 55-104-328 Carbide burr M 12, egg ø 25 x 35 mm
- 55-104-330 Replacement shaft core 4 mm, L = 1.5 m

## ELECTRIC GRINDER

01-2100-086

- Easy and fast handling, operated by foot pedal
- Motor (20,000 rpm), control pedal and different attachments
- Supply voltage: 230 V 50 / 60 Hz / 180 Watt




**SPARE FOOT PEDAL**  
01-2100-129

**SPARE SPINDLE**  
01-2100-130

**SPARE GRINDING WHEELS**  
01-2100-131 | 5 Pieces

## GP PODO MINI

01-2300-103 | Size: D 56 x W 23 x H 48 cm



- Table grinding machine
- Drive motor with 100 mm grinding disc
- Compatible with grinding and milling bits of up to 140 mm
- Dust filter, suction, voltage 230 V, 1 Ph, 50 Hz
- Weight 24 kg

### REPLACEMENT GRINDING BELTS:

**GRINDING BELT PODO MINI K36**  
01-2300-115

**GRINDING BELT PODO MINI K24**  
01-2300-116

## BOOT OPENER II

01-2100-087

- Ergonomic working position thanks to 360 ° rotation quick lock
- Stainless steel
- Rotary vise boot opener structure with 2 pairs of hooks in different sizes





## ULTRACAM TOOLS

**ULTRACAM UP BASIC (1 STRETCH + 1 ANKLE ARM)**

01-2100-114

- Separate controls for temperature and time
- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.
- Three sets of milled ankle stretch forms
- Three pairs of lasts with various small adapters

**ULTRACAM UP EXTRA STRETCH ARM**

01-2100-115

- Second stretch arm for ULTRACAM UP BASIC
- Can be easily mounted on the basic device
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.

**ULTRACAM STAR ANKLE ARM SINGLE, ELECTRIC**

01-2100-116

- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Separate controls for temperature and time
- Three sets of milled ankle stretch forms
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.

**ULTRACAM STAR ANKLE SET DOUBLE, ELECTRIC**

01-2100-119

- Can handle two ski boots simultaneously and independently from each other
- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Separate controls for temperature and time
- Three sets of milled ankle stretch forms for each arm
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.

\* Digital gauge not included

**ULTRACAM STAR ANKLE ARM SINGLE (WITHOUT TIME AND TEMPERATURE CONTROL)**

01-2100-118

- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Three sets of milled ankle stretch forms





## AIRCOOLING SET FOR ULTRACAM UP & STAR (FOUR-WAY)

01-2100-117

- Compressed air hose set for ULTRACAM UP and STAR devices
- Easy installation: Connect the air-cooling set with the respective ULTRACAM device and your compressed air generator, open the respective air valves and cool down the heated ski boots in approx. 20 min.

## ULTRACAM STAR SET ANKLE STRETCH FORMS 3 + 3 (MILLED)

01-2100-120

- Milled ankle stretch parts with a smooth surface
- Includes two sets of round ankle parts in two sizes and a set with an elliptical shape



## DIGITAL MEASURING GAUGE FOR ANKLE ARM


01-2100-121

- Can be mounted on all ULTRACAM STAR ankle stretch devices and ankle stretch arms of the ULTRACAM UP and helps to determine and track the deformation depth



## ULTRACAM UP SET OF LASTS "CASUAL" WITH VARIOUS SMALL ADAPTERS

01-2100-132



## WORK BENCH

55-125-200 | Size: D 52.5 x W 80 x H 90.5 cm | with wheels and drawers

Incl. wooden worktop, wheels and 3 lockable drawers, the perfect bench for any boot fitting tools.



## FITTING TOOLS FOR INSOLES

### HEEL PERFORMANCE

01-2200-040 | Size: uni


- Stabilizes 3D insoles



### HEEL COMFORT

01-2200-041 | Size: uni

- Stabilizes 3D insoles



### HEEL CUP SOFT

01-2200-031-x | Size: XS - S

01-2200-032-x | Size: M - L

01-2200-034-x | Size: XL - XXL

- Stabilizer
- Self-adhesive tape included



### HEEL CUP STIFF

01-2200-035-x | Size: XS - S

01-2200-036-x | Size: M - L

01-2200-037-x | Size: XL - XXL

- Stabilizer
- Self-adhesive tape included



## PELOTEN

01-2100-029-x | Size: S - XL  
10 pairs / units

- Microfiber cover (self-adhesive)



## REFOSTAB 3 / 4 1.2 MM

01-2200-042-x

Size: XS - S / M - L / XL - XXL

- Self-adhesive reinforcing materials for use in the heel and midfoot areas



## REFOSTAB ARCH 1.2 MM

01-2200-043-x

Size: XS - S / M - L / XL - XXL

- Self-adhesive reinforcing materials for use in the longitudinal arch area



## REFOSTAB HEEL 1.2 MM

01-2200-044-x

Size: XS - S / M - L / XL - XXL

- Self-adhesive reinforcing materials for use in the heel area



## 3D TEMPLATES 1 SET

01-2200-033 | Size: uni

- Templates for precise size determination




## ARCH POST

01-2200-051-x

Size: XS - S / M - L / XL - XXL

- Self-adhesive stabilization elements that are attached medially and laterally to the underside of insoles. Can be adapted by grinding



## TOP SHEET

Size: L 12 cm x W 10 m

MERINO BLACK (2.0 mm) 01-2100-108

MICROFIBER BLACK (0.6 mm) 01-2100-055

SYNTH. LEATHER RED (0.9 mm) 01-2100-056

CAMBRELLE RED (0.6 mm) 01-2100-060

TX MATERIAL ROLL GREEN (0.6 mm) 01-2100-109




## SCISSORS

STRAIGHT 01-2300-082

CURVED 01-2300-084

KNIFE 01-2300-083

- For a precise, straight or curved cut



## SPRAYS

HYGIENE SPRAY 01-2100-051

COOLING SPRAY 01-2100-052

SILICONE SPRAY 01-2100-053




# BOOTDOC ACADEMY

## UNIQUE BOOT-FITTING TRAINING PROGRAM.

The BOOTDOC ACADEMY program is a unique boot-fitting training program and offers every technician an introduction to, or advanced training in, boot fitting. Learn from top professionals and pick up tips and tricks that will enable you to provide your customers with the best footwear fitting service. Since the number of participants is limited, individual assistance is guaranteed during the seminar, and there is sufficient time to practice skills directly on the products.

Newcomers should choose the basic boot fitting seminar, while more experienced participants can register directly for the ADVANCED course.

- Bring your own ski boots or some old ones so that they can be ground and expanded.
- You will receive precise details of what the program involves, hotel options, the location and how to get there after you have registered. Please send your registration to [office@boot-doc.com](mailto:office@boot-doc.com).
- Every participant will receive a personal certificate and participation confirmation from the **BOOTDOC BOOT-FITTING ACADEMY**.





MARKETING

# MARKETING

## RETAIL & PROMOTION

**BOOTDOC**  
TUNE YOUR FEET

**PRICE**

**PLACE**

**PROMOTION**





## DISPLAYS & MERCHANDISING

### 1 BOOTDOC/HOTRONIC WALL DISPLAY

10-3100-338 | Size: 50 x 40 x 160 cm

### 2 3D COVER SIGN WALL DISPLAY

10-3100-343 | Size: 49 x 148 cm

### 3 SLATWALL HOOKS UNIVERSAL

10-3100-324 | Length: 30 cm | 10 pcs.

### 4 SLATWALL HOOKS HOTRONIC

10-3100-325 | Length: 30 cm | 10 pcs.

### 5 SLATWALL HOOKS BOOTDOC

10-3100-326 | Length: 30 cm | 10 pcs.

### 6 SLATWALL BOARD

10-3100-342 | Size: 31 x 29 x 6 cm

fits for any slatwall or BOOTDOC / HOTRONIC floor display only

### 7 MONITOR 12" INKL. SD CARD

10-3100-349

### 8 VESA MOUNTING PLATE FOR MONITOR

10-3100-350

### 9 BOARD FOR LINERS

10-3100-351 | 30 x 15 cm

### 10 MAGNET SIGN FOR FLOOR DISPLAY

10-3100-329 | Size: 62 x 18 cm

### 11 HOTRONIC MAGNET SIGN FOR FLOOR DISPLAY

10-3100-330 | Size: 62 x 18 cm

### 12 MAGNET SIGN

FOR COUNTER DISPLAY & WALL DISPLAY

10-3100-327 | Size: 30 x 12 cm

### 13 HOTRONIC MAGNET SIGN FOR COUNTER DISPLAY & WALL DISPLAY

10-3100-328 | Size: 30 x 12 cm

### SLAT WALL PRESENTER

10-3100-331 | Size: 53 x 105 cm

Folded cardboard wall without hook



## PORON® DEMO SET

10-3100-339

- Shows the mode of action and dampening effect of various PORON® materials.



## CARPET FOOTCHECK

10-3100-291 | Size: 75 x 120 cm



## CARPET

10-3100-086 | Size: 75 x 50 cm



## CARPET HOTRONIC

10-3100-336 | Size: 75 x 120 cm



## CARPET ASC

10-3100-354 | Size: 200 x 200 cm



## SELLING TOOLS

### FOOT MODEL

**SKELETON** 10-3100-082

**NORMAL FOOT** 10-3100-083

**FLAT FOOT** 10-3100-084

**HIGH-ARCHED** 10-3100-085



### PRESENTATION FOOT

**LONG** 10-3100-263

**SHORT** 10-3100-264



### 3D SAMPLE RING MATERIALS


10-3100-341



### SAMPLE RING 3D CUSTOM INSOLES

10-3100-340

**NEW**



### SAMPLE RING FUSION INSOLES

**NEW**



### SAMPLE RING STEP-IN INSOLES

10-3100-352

**NEW**



### 3D SAMPLE RING 23 - 31

10-3100-288



### NOTEPAD FOOT TYPE

10-3200-057 | Size: A4 (50 pages)



## SOCKS POP DISPLAY

### HEAT SOCKS - DISPLAY

10-3100-334 | 1 pcs.  
Size: W 30 x H 58.5 x D 28 cm

- Includes display, heat sock (1 pc.), cords and plugs, foot model



## PROMOTION TOOLS

### TENT

10-3100-289  
Size: 3 x 3 m



### BEACH FLAG

SMALL (2 M) 10-3100-080  
BIG (5 M) 10-3100-286



### LOGO BANNER

SMALL (2 X 1 M) 10-3100-081  
BIG (4 X 1 M) 10-3100-281



### LACES

10-3100-314 | length: 120 cm | 1 pair



### MEASURING TAPE

01-2300-037



### CUBE SEAT

10-3100-250 | Size: D 40 x W 40 x H 40 cm





# COMMUNICATION TOOLS

## POSTER A1

TUNE YOUR FEET, ANNA VEITH 78-300-910

## STICKER A3

TUNE YOUR FEET, ANNA VEITH 78-300-925



## POSTER A3

ALPINE PERFORMANCE (DE) 10-3100-298

ALPINE PERFORMANCE (EN) 10-3100-297

3-ARCH (DE) 10-3100-299

3-ARCH (EN) 10-3100-273

RUNNING (DE) 10-3100-274

RUNNING (EN) 10-3100-275



## INFO BOOKLET

WINTER (DE/IT) 10-3200-117

WINTER (FR/EN) 10-3200-118

RUN & HIKE (DE/IT) 10-3200-119

RUN & HIKE (FR/EN) 10-3200-120



## SILENT SELLER

SMALL (8 CM) 10-3200-121

BIG (10 CM) 10-3200-122



## LOGO STICKER

BOOTDOC (70 X 26 MM) 10-3200-134 | 1 pc.

BOOTDOC (150 X 52 MM) 10-3200-135 | 1 pc.


BOOTDOC (200 X 46 MM) 10-3200-136 | 1 pc.

BOOTDOC (400 X 92 MM) 10-3200-137 | 1 pc.

**BOOTDOC**  
TUNE YOUR FEET

## TUNING PARTNER STICKER

10-3100-278 | Size: 20 x 19 cm



## CATALOGUE

WINTER & SUMMER 2021 / 22

GERMAN 10-3200-220

ENGLISH 10-3200-221

ITALIAN 10-3200-222

FRENCH 10-3200-223






## EXPERT DAY

## YOUR SUCCESS IS OUR SUCCESS!

The use of our advertising material will provide you with an enhanced image, will increase attention enormously and raising awareness of your expert boot fitting. Use this first-class opportunity and WINTERSTEIGER's advertising material - your success is guaranteed!

Our proven BOOTDOC promotional materials will attract the attention of passers-by from your shop window and in front of your store.

Interested? Please get in touch with your BOOTDOC contact or send an email to [office@boot-doc.com](mailto:office@boot-doc.com)

EXPERT DAY WINDOW  
STICKEREXPERT DAY  
POSTEREXPERT DAY  
FLOOR STICKEREXPERT DAY  
ROLLUP

## CLOTHING

## JACKET

10-3300-014-x | Size: S - XXXL  
Colour: black



## HOODY

10-3300-015-x | Size: S - XXXL  
Colour: black / red

POLO SHIRT  
LONG-SLEEVED

10-3300-019-x  
Size: S - XXXL  
Colour: anthrazit



## POLO BLACK

10-3300-018-x  
Size: S - XXXL  
Colour: black / anthrazit



## T-SHIRT V-NECK

10-3300-017-x  
Size: S - XXXL  
Colour: anthrazit



## HELMET LINER

10-3300-100 | One size fits all  
Fit: 55 - 62 cm  
Material: 90 % polyester,  
10 % spandex



## FACE MASK

10-3300-102 | One size fits all  
Material: 90 % polyester,  
10 % spandex





# THE RIGHT SIZE

## FOR THE PERFECT FIT.




### INSOLES

BD	XS		S		M	
Length (mm)	217	227	237	247	257	267
MP	21	22	23	24	25	26
EU	32 - 33.5	34 - 35.5	36 - 37.5	38 - 38.5	39 - 40	40.5 - 41.5
US	3	4	4 1/2 - 5	5 1/2 - 6	6 1/2 - 7	7 1/2 - 8
UK	2	3	3 1/2 - 4	4 1/2 - 5	5 1/2 - 6	6 1/2 - 7
BD	L		XL		XXL	
Length (mm)	277	287	297	307	317	
MP	27	28	29	30	31	
EU	42 - 42.5	43 - 44	44.5 - 45.5	46 - 47	48 - 49	
US	8 1/2 - 9	9 1/2 - 10	10 1/2 - 11	11 1/2 - 12	12 1/2 - 13 1/2	
UK	7 1/2 - 8	8 1/2 - 9	9 1/2 - 10	10 1/2 - 11	11 1/2 - 12 1/2	



### POWER FIT SOCKS

BD	EU	US/CA MEN	US/CA WOMAN	UK	METRIC
XS	32 - 34	2 - 3	3 - 4	1 - 2	200 - 210
S	35 - 38	4 - 6	5 - 7	3 - 5	220 - 240
M	39 - 41	7 - 8	8 - 9	6 - 7	250 - 260
L	42 - 44	9 - 10	10 - 11	8 - 9	270 - 280
XL	45 - 48	11 - 13	12 - 14	10 - 12	290 - 310



### THE POWER FIT INDEX

The Power Fit Index (PFI) indicates how strong the overall level of gradual compression is: PFI 30 designates light compression, while PFI 90 is classified as strong and is therefore only found in our performance series.

HEADQUARTERS

**AUSTRIA:**  
WINTERSTEIGER AG, Johann-Michael-Dimmelstrasse 9,  
4910 Ried im Innkreis, Tel.: +43 7752 919-0,  
Fax: +43 7752 919-55, sports@wintersteiger.at

INTERNATIONAL COMPANIES

**FRANCE:** SKID-W\INTERSTEIGER S.A.S.,  
73800 Ste. Hélène du Lac, 102 voie Galilée,  
Parc d'Activités Alpespace, Tel.: +33 479 25-1160,  
Fax: +33 479 25-1161, office@skid-wintersteiger.com

**ITALY:** WINTERSTEIGER Italia s.r.l., 39036 (BZ),  
Strada Ninz 82 – Frazione La Villa, Tel.: +39 0471 844 186,  
Fax: +39 0471 188 1664, info@wintersteiger.it

**CANADA:** WINTERSTEIGER Inc.,  
CDN-Laval Q.C. H7L 5A1, 964 Bergar Street,  
Tel.: +1 450 663 7800, Fax: +1 450 663 2896,  
info@canada.wintersteiger.com

**RUSSIA:** OOO WINTERSTEIGER,  
Krzhizhanovsky Str. 14, Build. 3, 117218 Moscow, Russia,  
Tel.: +7 495 645 84 91, Fax: +7 495 645 84 92,  
office@wintersteiger.ru

**SWITZERLAND:** WINTERSTEIGER Schweiz AG,  
6331 Hünenberg, Chamerstrasse 44, Tel.: +41 41 780 23 22,  
Fax: +41 41 780 23 90, office@wintersteiger.ch

**USA:** WINTERSTEIGER Inc., 4705 Amelia Earhart Drive,  
Salt Lake City, UT 84116-2876, Tél. : +1 801 355-6550,  
Fax : +1 801 355-6541, mailbox@wintersteiger.com

**REPRESENTATIONS:** Andorra, Australia, Belgium,  
Bosnia and Herzegovina, Denmark, Finland, Greece,  
Netherlands, Croatia, Kyrgyzstan, Latvia, Lithuania,  
New Zealand, Norway, Netherlands, Poland, Romania,  
Sweden, Serbia, Slovakia, Slovenia, Spain, South Korea,  
Czech Republic, UK.

**BOOTDOC**  
TUNE YOUR FEET

**WINTERSTEIGER AG**  
Johann-Michael-Dimmelstrasse 9  
4910 Ried im Innkreis, Austria  
Tel.: +43 7752 919-0  
Fax: +43 7752 919-52  
E-Mail: office@boot-doc.com

Part of  
**WINTERSTEIGER**  
Group

**HOTRONIC®**  
HEATING SYSTEM

